LOW BACK PAIN AND DISABILITY QUESTIONNAIRE (revised Oswestry)

Nai	me:		Date:	
you app	s questionnaire has been designed to give the health car ur ability to manage everyday life. Please answer every solies to you. We realize you may consider that two of the rk the box which most closely describes your problem to	ection e state	and mark in each section only the ONE box which	
SECTION 1- PAIN INTENSITY		SEC	SECTION 6- STANDING	
	The pain comes and goes and is very mild.		I can stand as long as I want without pain.	
	The pain is mild and does not vary much.		I have some pain on standing but it does not increase with time.	
	The pain comes and goes and is moderate.		I cannot stand for longer than one hour without increasing pain.	
	The pain is moderate and does not vary much.		I cannot stand for longer than 1/2 hour without increasing pain.	
	The pain comes and goes and is very severe.		I cannot stand for longer than 10 minutes without increasing pain	
	The pain is severe and does not vary much.		I avoid standing because it increases the pain straight away.	
SECTION 2- PERSONAL CARE			SECTION 7- SLEEPING	
	I would not have to change my way of washing or dressing in		I get no pain in bed.	
	order to avoid pain.		I get pain in bed but it does not prevent me from sleeping well.	
	I do not normally change my way of washing and dressing even though it causes some pain.		Because of pain my normal night's sleep is reduced by less than 1/4.	
	Washing and dressing increase the pain but I manage not to change my way of doing it.		because of pain my normal night's sleep is reduced by less than 1/2.	
	Washing and dressing increase the pain and I find it necessary		Because of pain my normal night's sleep is reduced by less	
	to change my way of doing it.		than 3/4.	
	Because of the pain I am unable to do some washing and dressing.		Pain prevents me from sleeping at all.	
	Because of the pain I am unable to do any washing and	SEC	CTION 8- SOCIAL LIFE	
	dressing without help.		My social life is normal and gives me no pain.	
			My social life is normal but increases the degree of pain.	
SEC	CTION 3- LIFTING		Pain has no significant effect on my social life apart from limiting	
	I can lift heavy weights without extra pain.		my more energetic interests, e.g. dancing, etc.	
	I can lift heavy weights but it causes extra pain.		Pain has restricted my social life and I do not go out very often.	
	Pain prevents me from lifting heavy weights off the floor.		Pain has restricted my social to my home.	
	Pain prevents me from lifting heavy weights off the floor, but I		I have hardly any social life because of the pain.	
	manage if they are conveniently positioned (e.g. on a table).			
	Pain prevents me from lifting heavy weights but I can manage	SEC	CTION 9- TRAVELLING	
	light to medium weights if they are conveniently positioned.	П	I get no pain whilst traveling.	
	I can only lift very light weights at the most.		I get some pain whilst travelling but none of my usual forms of	
SEC	TION 4- WALKING		travel make it any worse.	
	I have no pain on walking.		I get extra pain whilst travelling but it does not compel me to seek alternate forms of travel.	
	I have some pain on walking but it does not increase with		I get extra pain whilst travelling which compels me to seek	
	distance.		alternative forms of travel.	
	I cannot walk more than one mile without increasing pain.		Pain restricts all forms of travel.	
	I cannot walk more than 1/2 mile without increasing pain.		Pain prevents all forms of travel except that done lying down.	
	I cannot walk more than 1/4 mile without increasing pain.		and provide an forme of travel except that delice ying delinit	
	I cannot walk at all without increasing pain.	SEC	TION 10- CHANGING DEGREE OF PAIN	
	그런 하는 이렇게 살았다면 살아왔다면 하다. 하는 이렇다		My pain is rapidly getting better.	
SEC	CTION 5- SITTING		My pain fluctuates but overall is definitely getting better.	
	I can sit in any chair as long as I like.		My pain seems to be getting better but improvement is slow	
	I can only sit in my favorite chair as long as I like.		at present.	
	Pain prevents me from sitting more than one hour.		My pain is neither getting better or worse.	
	Pain prevents me from sitting more than 1/2 hour.		My pain is gradually worsening.	
	Pain prevents me from sitting more than 10 minutes.		My pain is rapidly worsening.	
	I avoid sitting because it increases my pain straight away.			